CATALOG

GARAGE AND SERVICE STATION EQUIPMENT

BUY WITH CONFIDENCE

When you order from this Lawson catalog you are buying from one of the oldest manufacturing companies in the United States, with a record of over ONE HUNDRED and FORTY-TWO YEARS of friendly relations with thousands of distributors. Lawson enjoys a national and international reputation as makers of fine Garage and Service Station Products, Bathroom Cabinets, Kitchenware, Galvanized Ware, Institutional and Office Equipment. The Lawson label is known and recognized as a quality label in practically all parts of the world. Therefore, when you order from this catalog, buy with utmost confidence—complete satisfaction is assured.

THE F. H. LAWSON COMPANY

CINCINNATI 4, OHIO

ESTABLISHED 1816

Steel

No. A-700

Backed by 142 Years of Business Integrity

LAWSON DISPLAY STAND A-700

Display It and You'll Sell It!

An attractive all metal display stand that occupies a minimum of floor space—easy to erect—compact and easy to move.

Gets your Lawson products out front where your customers can see and buy them. Size 15½x34x64 inches. Sent you at NO COST with $100.00 stock order.

Detail of Spout with Ferrule

New improved ferrule at end of radiator filler spout permits easy, spill-proof pouring without filler spout entering radiator intake.

No. 32 LAWSON HOT DIPPED GALVANIZED OVAL RADIATOR FILLER

Scientifically Designed to Service Easily and Quickly All Model Cars

Note these Features:

- Exclusive Double Lock Seamed and Hot-Dipped Galvanized, After Assembly, For Longer Life.
- Extra Length and Special Curvature of Spout Permits Easier Reach.
- Pistol Grip Handle and Rest Lug on Tip of Spout Affords Complete Pouring Control.
- Exclusive, New "LOCK-UP" Ears for COMBINATION Rigid and Swinging Bail Handle.

No.	CAPACITY	PACKED	PKG. WT.
32	12 Qts.	6	28 lbs.

No. 75

No. 75 TIRE TUBE TESTING TANK

Fits large size tubes. Has end hand-grips and heavy runners on bottom. Hot-dipped galvanized makes it leak-proof and long lasting.

No.	SIZE	PACKED	PKG. WGT.
75	31x12x11"	3	37 lbs.

No. 304

No. 301 LAWSON "SHUR-SCOOT" CREEPER

Made from top quality kiln-dried hard woods with strong plywood platform. Note the five sturdy cross braces. Built low for maximum clearance. Full width sponge rubber head rest with comfort and eye appeal. Equipped with the popular 3" diameter leaning wheel type "Shur-Scoot" Roller. No surface too rough—no floor too dirty—they will not stall.

No.		SIZE	PACKED	PKG. WGT.
301	Creeper	15½x36"	2	25 lbs.
304	Replacement Roller	3"	4 sets (16)	12 lbs.

QUALITY and VALUE
Our Most Important Products

COMBINATION FUNNEL MEASURES

Heavy, approved grade for oil and anti-freeze. The curved, rigid spout or the long, leak-proof, flexible tube spout permits reaching "hard-to-get-at" openings . . . spill-proof top . . . hot-dipped galvanized. State Sealer approved and stamped where required by State law.

No.		CAPACITY	PACKED	PKG. WGT.
94	Rigid Spout	1 qt.	6	7 lbs.
95	Rigid Spout	2 qt.	6	9 lbs.
96	Rigid Spout	4 qt.	6	13 lbs.
94F	Flexible Spout	1 qt.	6	8 lbs.
95F	Flexible Spout	2 qt.	6	10 lbs.
96F	Flexible Spout	4 qt.	6	15 lbs.



No. 94

No. 95



No. 94F

No. 96

No. 95F



No. 96F

No. 6 RADIATOR DRAIN PAN

Made of heavy steel, hot-dipped galvanized. Has side handles and pouring lip with a guard permitting perfect control when emptying. Fits under any car; only 6″ high by 19″ in diameter.

No.	CAPACITY	PACKED	PKG. WT.
6	6 gal.	2	12 lbs.

No. 6

5-GAL. LIFT OIL DRAIN

Extra heavy drain body with reinforced top and bottom. Skid ring on bottom adds to reinforcement and aids handling. Strong handle, welded on, permits easy carrying and pouring. Funnel is spun aluminum and has strainer screen. Equipped with telescopic, seamless extension tube that raises to height above 5½ feet. Rubber Sealing gasket at base of funnel insures perfect fit.

No.	COLORS	FUNNEL DIAMETER	CAN DIAMETER	PACKED	PKG. WT.
999	— Red	10¼″	12½″	1	15 lbs.
999	— White	10¼″	12½″	1	15 lbs.

No. 999

Quality That Assures Constantly Increasing Customer Demand

No. 701

No. 710

No. 725

No. 735

No. 745



No. 749

No. 775

No. 765



No. 755



No. 701 "CAN-CUTTER" SPOUT

For One Quart Cans Only:—Same performance function as the No. 725 except much smaller in size for one quart cans only. Hardened steel cutter. Length 5¼". Nickel plated finish.

MODEL No.	PACKED	PKG. WEIGHT
701	10	3 lbs.

No. 710 "CAN-CUTTER" SPOUT

For Car Owner and Home Use: — Opens 1 qt. and smaller cans of oil and top cylinder oil. For cars and power mowers. Has removable cap for protection to contents.

MODEL No.	PACKED	PKG. WEIGHT
710	10	2 lbs.

No. 725 "CAN-CUTTER" SPOUT

For One or Five Quart Cans of Packaged Oil: — One simple downward thrust cuts top and clamps to can for pouring. Quick, simple one hand operation. Made of steel with hardened steel cutter. Length 7¾". Nickel plated finish.

MODEL No.	PACKED	PKG. WEIGHT
725	10	6 lbs.

No. 735 "CAN-CUTTER" SPOUT

For One or Five Quart Cans of Packaged Oils. Special design curved spout inserts in crankcase intake and is self-supporting while draining. Automatic, no-leak vent. Length 8½".

MODEL No.	PACKED	PKG. WEIGHT
735	10	7 lbs.

No. 745 "CAN-CUTTER" SPOUT

For One or Five Quart Cans of Packaged Oil: — Same as No. 735 only smaller in size. Length 7½".

MODEL No.	PACKED	PKG. WEIGHT
745	10	5 lbs.

No. 749 FLEXIBLE DETACHABLE EXTENSION

Fits No. 735 and No. 745 Canspouts. Adds a 10" length of spout to reach out-of-the-way crankcase openings.

MODEL No.	PACKED	PKG. WEIGHT
749	6	3 lbs.

LAWSON No. 775 "CAN-CUTTER" SPOUT

For Dispensing Anti-Freeze: — Fits round or rectangular cans of from one to five quart capacity. Neoprene gasket gives a perfect seal. Nickel plated finish.

MODEL No.	PACKED	PKG. WEIGHT
775	10	8 lbs.

LAWSON No. 765 "CAN-CUTTER" SPOUT

For Dispensing Automatic Transmission Fluids from Sealed Cans. Automatic, no leak vent permits a continuous, rapid flow of fluid. Nickel plated finish.

MODEL No.	PACKED	PKG. WEIGHT
765	10	6 lbs.

LAWSON No. 755 "CAN-CUTTER" SPOUT

For Opening and Pouring Automatic Transmission Fluids:—Quick, clean, safe dispensing to Hydramatic, Dynaflow, Ultramatic, Prestomatic drives. Butterfly control valve with perfect circle fit provides positive control of flow — prevents spilling. Cutter blade is hardened steel. 20" spout reaches out-of-the-way intakes. Nickel plated finish.

MODEL No.	PACKED	PKG. WEIGHT
755	6	13 lbs.

Cans for Emergency, Marine, Utility Service

UTILITY GAS AND OIL CANS

No. 802 Emergency Gas Can with 8″ long No. 835 Reversible Pour Spout. Complete with Dust Cap Seal, Screen and Air Vent. Attractively lithographed in Bright Red and Yellow.

No. 801 Emergency Gas Can in 1 gallon size. Has all the features of No. 802 can except it has no strainer screen.

Nos.	CAPACITY	PACKING	PKG. WT.
801	1 Gal.	24	28 lbs.
802	2 Gal.	12	20 lbs.



Nos. 801-802

FILLER CAN, SPOUT and OIL MEASURE COMBINATION

An ideal unit for the Sportsman or Motorist. Squat design permits safe stowing under boat seat or in car trunk. Sturdily constructed of steel, lacquered red body, yellow print. Heavy wire bail, wood roll handle. Treated inside and out for rust resistance. 2½″ Hex. Filler Cap with new oil measure. Equipped with No. 835 Reversible pour spout and removable filter screen.

No.	CAPACITY	PACKING	PKG. WT.
822½	2½ Gal.	6	18 lbs.

No. 822½

5-GAL. EMERGENCY FILLER CAN

Ideal for farm, home, marine and emergency highway service. Round can, specially treated to withstand rust, lithographed a brilliant red. Attractive dome top. No. 835 reversible, flexible pour spout. Equipped with heavy wire bail and wood roll handle. 2½″ hex. filler cap.

MODEL No.	CAPACITY	PACKING	PKG. WT.
825	5 Gal.	6	27 lbs.

No. 825

FLEXIBLE POURING SPOUT

No. 830 Utility, flexible spout 9″ long, complete with dust cap. Galvanized and tin rust-proof finish. No. 835 Reversible double purpose flexible pour spout and 1 oz. measure dust cap. Leak proof.

Nos.	PACKING	PKG. WT.
830	24	6 lbs.
835	12	5 lbs.



No. 830

No. 835

Funnels for Garage, Service Station, Factory, Farm, Home



No. 63—1 Qt.
No. 65—2 Qt.
No. 67—4 Qt.



No. 25—1 Qt.
No. 30—2 Qt.
No. 35—4 Qt.

TINNED FUNNELS

Low cost pre-tinned funnels a must for power mowers and outboard motors.

SPECIFICATIONS

No.	CAPACITY QUARTS	TOP DIAMETER	PACKED	PKG. WT.
63	1	5½″	12	2½ lbs.
65	2	6⅛″	12	3 lbs.
67	4	7⅛″	12	5 lbs.



No. 600—8 Qt.
No. 620—6 Qt.



No. 601—8 Qt.
No. 621—6 Qt.

GALVANIZED FUNNELS

Made of black steel hot-dipped galvanized after forming — top rim for extra capacity and to prevent spilling.

SPECIFICATIONS

No.	CAPACITY QUARTS	TOP DIAMETER	PACKED	PKG. WT.
25	1	5½″	12	6 lbs.
30	2	6⅛″	12	7 lbs.
35	4	7⅛″	12	10 lbs.



No. 590—8 Qt.

HEAVY DUTY FUNNELS

Made of pre-galvanized sheet steel. Center spout funnels have fluted spouts. Fine mesh brass strainer cloth in tube.

SPECIFICATIONS

No.	CAPACITY QUARTS	TOP DIAMETER	PACKED	PKG. WT.
590	8	9¼″	12	22 lbs.
600	8	12″	3	9 lbs.
601	8	12″	3	22 lbs.
620	6	10″	3	6 lbs.
621	6	10″	3	6 lbs.

No. 625—10 Qt.

LOCK-ON TRACTOR FUNNEL

Hot dipped Galvanized. Multi lock-on arrangement. Fits all three commonly used tractor gas tank filler necks. Removable fine mesh brass wire screen.

SPECIFICATIONS

No.	CAPACITY QUARTS	TOP DIAMETER	PACKED	PKG. WT.
625	10	10¼″	6	13 lbs.

Economical Pump Oilers Satisfy Popular Demand



Detachable Tip Is Grooved To Open Spring-Held Covers Of Oil Cups

FOR SERVICE STATIONS, GARAGES, SHOPS, HOME AND FARM USE

Eye-catching quality oilers priced to sell competitively for quick, extra profits — note these features:

- Bodies are leak-proof drawn steel.
- Proven Pumping Mechanism has bronze springs and steel ball valves for lasting service. No gaskets to wear or replace.
- Detachable tips on rigid spouts grooved to open spring-held covers of oil caps.
- Comfortable Pistol Grip Handles for powerful, positive action.
- Simple Thumb-Lever Handles — nothing to get out of order.

LAWSON DELUXE OILERS WITH DETACHABLE TIPS

No. 905 — PISTOL OILER

The general purpose oiler preferred by the garage mechanic, station attendant and for home use. Finished in green lacquer.

MODEL No.	CAPACITY	PACKED	PKG. WT.
905	6 oz.	12	6 lbs.

No. 915 — HANDLED OILER

Thumb lever action — will deliver a drop or two or a 10 ft. stream. Perfect for farm, station or home use. Finished in green lacquer.

MODEL No.	CAPACITY	PACKED	PKG. WT.
915	7/8 pt.	6	6 lbs.

No. 925 — PISTOL OILER

Extra Capacity — top quality for those who demand the best. Narrow necked body reaches tight places. Finished in green lacquer.

MODEL No.	CAPACITY	PACKED	PKG. WT.
925	1 pt.	6	6 lbs.

LAWSON ECONOMY PUMP OILERS —TOP VALUES FOR LESS

No. 950 — PISTOL OILER

Rigid 6″ spout; detachable tip. Top performance at low cost. Aluminum lacquered body with nickel plated cap and spout assembly.

No. 952 — PISTOL OILER

Same capacity and quality as No. 950 oiler except it has 8″ flexible spout with attached tip.

MODEL No.	CAPACITY	PACKED	PKG. WT.
950	6 oz.	12	5 lbs.
952	6 oz.	12	5 lbs.

No. 960 — HANDLED OILER

Rigid 6″ spout; detachable tip. Thumb-lever pump action. Aluminum lacquered body with nickel plated cap and spout assembly.

No. 962 — HANDLED OILER

Same capacity and quality as No. 960 oiler except it has 8″ vertically attached flexible spout with attached tip.

MODEL No.	CAPACITY	PACKED	PKG. WT.
960	10 oz.	12	8 lbs.
962	10 oz.	12	8 lbs.

No. 905

No. 925

No. 915



No. 950

No. 952

No. 960

No. 962

Backed by 142 Years of Business Integrity

No. 6240

No. 6240 HAN-DE-DOR® SURFACE CABINET

- "TOPS" for Utility!
- MORE Storage Space!
- FINER Construction!
- EVERYTHING at Easy Reach!
- LASTING BEAUTY and Service!

Features and Specifications:

- Polished, one-piece, stainless steel mirror frame.
- Continuous Piano-Type Hinge.
- Bullet-Type Door Catch.
- Two Bulb-Edge Glass Shelves.
- Stainless steel Swing-Away Towel Bar.
- 4 Recessed Door Shelves.
- Body Size: 15½" wide, 17½" high, 4½" deep.
- Mirror, 14" wide, 20" high.
- Overall Depth of Cabinet, with door closed, 6¼".

Pkd. 1 Pkg. Wt. 17 lbs.



No. 5159

LOW COST ECONOMY CABINET

This cabinet is the finest in construction detail for a low-cost promotional unit, made possible only through the ingenuity of the world's leading builder of Bathroom Cabinets.

Features:

- One-piece formed and welded steel body.
- Sparkling white baked enamel finish.
- Two welded-in metal shelves.
- Two sturdy butt type hinges.
- Positive friction door catch.
- Selected quality single strength mirror.
- Highest quality silvering, shellac protected.
- White enamel channel type steel frame.
- Key-hole slotted for easy wall mounting.

SPECIFICATIONS

MODEL No.	MIRROR SIZE	WIDTH	HEIGHT	DEPTH
5159	14"x20"	13⅞"	18¼"	4"

Pkd. 1 Pkg. Wt. 8 lbs.



Nos. 1218 1622 1824

LAWSON WALL HUNG MIRRORS

First quality Plate Glass Mirrors with Stainless Steel Frame. Galvanized steel back. Arranged for vertical or horizontal mounting. Theft-proof hanging device. Anchor bolts not furnished. Theft-proof feature consists of zig-zag slots in the metal back to receive wall screws. Wall screws not furnished.

No.	SIZE	PACKED	PKG. WT.
1218	12 x 18"	1 per Ctn.	9 lbs.
1622	16 x 22"	1 per Ctn.	15 lbs.
1824	18 x 24"	1 per Ctn.	18 lbs.

Down To Earth Lawson Values Assure Solid Profit

PANELED STEEL WASTE BASKETS

Edges are smooth to protect floors and furniture. Bottoms are raised from floor to comply with Underwriters' requirements. Finished in OLIVE GREEN, GREY and WALNUT colors. Also available in DESERT SAGE and MIST GREEN.

SPECIFICATIONS

No.	HEIGHT	TOP	BOTTOM	PKD.	PKG. WT.
34	14½″	13″	10″	6	22 lbs.

EXPANDED STEEL WASTE BASKETS

Two popular sizes; truss-like construction. Solid steel collar base keeps torn paper from sifting out. No. 2010 rests on four fiber feet and has rubber bumper around entire top for scratch prevention. Colors: OLIVE GREEN, GREY and WHITE.

SPECIFICATIONS

No.	HEIGHT	TOP	PKD.	PKG. WT.
2010	24″	12″	3	18½ lbs.
2020	30″	18″	3	24 lbs.

EXECUTIVE STYLE METAL WASTE BASKETS

Rubber cushion top edge; rounded feet reinforce bottom and protect floor. Exact grain imitations of BLONDE OAK and WALNUT wood panels. Also furnished in OLIVE GREEN, GREY, DESERT SAGE and MIST GREEN.

SPECIFICATIONS

No.	HEIGHT	TOP	BOTTOM	PKD.	PKG. WT.
2900	15″	13¼″	10¼″	3	19½ lbs.

"HIGH BOY" STEEL UTILITY RECEPTACLES

Extra-capacity. Rust and corrosion resistant. No. 110 available with or without No.. 2721 Matching Dome Top. Colors: OLIVE GREEN, GREY and WHITE.

NO.	TOP	HEIGHT	PKD.	PKG. WT.
108	13-5/8"	20"	3	20 lbs.
110	15-1/2"	29"	3	31½ lbs.
2721	15-1/2"	8½"	3	20 lbs.

SPACE-SAVER METAL WASTE BASKETS

Rubber bumper top edge; rounded feet reinforce bottom and protect floor. Baked Enamel Finish in OFFICE GREY, OLIVE GREEN, DESERT SAGE, MIST GREEN and GRAINED WALNUT.

SPECIFICATIONS

No.	HEIGHT	TOP	BOTTOM	PKD.	PKG. WT.
2180	15″	8x17″	7x15″	3	19½ lbs.

CHROME PLATED AND COPPER PLATED SANDURNS

Will withstand all ordinary forms of tarnish, rust and corrosion. Chrome plated model has copper trim bands, copper sand container and stainless steel base. Coppered model has stainless steel trim bands, stainless steel sand container and stainless steel base.

SPECIFICATIONS

No.	HEIGHT	TOP DIAM.	PKG. WT.
6300 — Copper	21″	10 3/16″	6½ lbs.
6300 — Chrome	21″	10 3/16″	6½ lbs.

No. 2960 Hiawatha Sandurn. Black metallic enamel finish with polished copper or stainless steel tops. Height 20″; top diam. 10 3/16″; Pkd. 1 Pkg. Wt. 8 lbs.

No. 2990 SMOKURN®

Black, red or terrazzo grey with stainless steel top, grille and trim. Galvanized inner container holds water. Height 21″; top diam. 10 3/16″; Pkd. 1 Pkg. Wt. 16 lbs.

No. 34
No. 2020
No. 2010
No. 2721
No. 2900
No. 2180
No. 108
No. 110
No. 6300—Copper
No. 6300—Chrome
No. 2990
No. 2960

Outer shell lifts easily from metal inner can for quick emptying.

Lawson Waste Receptacles of World Renown Quality



2001

1901
(white only)

1001

901

3003
(white only)

SELF-CLOSING WASTE RECEPTACLES THE ORIGINAL TORPEDO® STYLES

- Finished in white, red, grey or mist green baked enamel. Stainless steel trim.
- Self-closing push door of stainless steel, also stainless steel door ledge.
- Rubber door silencer.
- Rounded top and sides, easy to clean.
- Wide stainless steel band at bottom, curled under, protects floor, keeps mop from staining its lustre.
- Galvanized nestable inner container with swing handle resists rust. Containers for No. 1001 and 3003 are dipped galvanized.
- Shell Bonderized for protection against rust.

NEW MODEL DROP-IN STYLE

Pictured at extreme right — built to the same quality specifications as the model 1001 in center.

SPECIFICATIONS

No.	SHELL	CONTAINER	CAP.	PKD.	PKG. WT.
901	15x31½″	13x21½″	12 Gal.	1	27 lbs.
1001	15x37″	13x27″	15 Gal.	1	30 lbs.
1901	18x36″	16x24¼″	17 Gal.	1	40 lbs.
2001	18x42″	16x31″	21 Gal.	1	50 lbs.
3003	15x37″	13x27″	15 Gal.	1	30 lbs.



Nos.
2240
2290

Nos.
2260
2300

SANITARY STEP-ON WASTE RECEPTACLES

Stainless steel foot pedal operates cover. White baked enamel finish. Nos. 2240 and 2260 have galvanized inner pail; Nos. 2290 and 2300 have polyethylene inner pail.

SPECIFICATIONS

No.	HEIGHT	DIAMETER	CAPACITY	PKD.	PKG. WT.
2240	16″	11½″	16 Qt.	1	8 lbs.
2260	19½″	11½″	20 Qt.	1	10 lbs.
2290	16″	11½″	16 Qt.	1	9½ lbs.
2300	19½″	11½″	20 Qt.	1	11 lbs.

Nos.
1434
3434

No.
1460

LAWSON "DOME-TOP" SELF-CLOSING REFUSE CANS

— 3 Sizes —

These flaring refuse cans with self-closing tops are ideal for garages, service stations, repair shops, recreation centers, parks, municipalities or wherever the disposal of waste is a problem. The easy-to-operate "PUSH" door is convenient, sanitary and promotes cleanliness. The special construction of the top unit makes the can vermin and rainproof. Constructed of heavy black steel, hot-dipped galvanized after fabrication to resist rust. Heavy reinforcing bands at the top and bottom of the can give extra strength to the rigid body.

SPECIFICATIONS

Nos.	SIZE DIAM.	HT.	CAP. GAL	PKD.	PKG. WT.
1460	16″	33 3/16″	16	3	81 lbs.
1434	19½″	34½″	24	3	114 lbs.
3434	20⅞″	36½″	32	3	126 lbs.

Lawson Top Quality GALVANIZED WARE

BIG, SELF-CLOSING DOME-TOP FOR 55-GAL. OIL DRUMS

Here's the NEW and BETTER WAY to cover up inflammable trash, litter and unsanitary rubbish and garbage — keep it free of vermin and rain. Here's the modern way to get extra service out of oil drums — converts them into sanitary, attractive, self-closing top waste receptacles. Top fits all makes, 55-gallon capacity drums — easy to operate — easy to remove. Made of heavy black steel, then hot-dipped galvanized after fabrication. Swinging door embossed with word "PUSH". Its extra durable, all steel, fireproof construciton, assures many years of trouble-free service.

No.	INSIDE DIAM.	HEIGHT	PACKED	PKG. WT.
5555	23¾″	11⅜″	3 to carton	38 lbs.

GALVANIZED SELF-CLOSING DOME-TOP FOR 100 AND 120-LB. GREASE DRUMS

Anywhere 100-lb. or 120-lb. grease drums are used this DOME-TOP receptacle has economical possibilities . . . instead of wastefully discarding the used grease drums they can be converted to an attractive receptacle for profitable, safe and sanitary use collecting empty oil cans, windshield wipes, oily rags and general trash. Made of heavy black steel, then hand dipped galvanized after fabrication. Swinging door embossed with word "PUSH". Its extra durable, all steel, fire-proof construction assures many years of trouble-free service.

SPECIFICATIONS

No.	INSIDE DIAMETER	HEIGHT	PKD.	PKG. WT
1515	14¼″	11¼″	3	22 lbs.

EXTRA HEAVY INDUSTRIAL CANS

Made to conform with Federal Specifications RR-C-82a.

No. 320 — Has heavy 24-gauge body with 22-gauge bottom and cover. Heavy steel reinforcing bands — top band ¼x1¼″; bottom band ¼x2″; each band securely riveted to body by twenty-four ¼x⅝″ rivets. Drop side handles of ⅜″ rod steel held to can by heavy side clips securely riveted to body.

No. 240 — Has heavy 24-gauge body and cover, 22-gauge bottom. Heavy steel reinforcing bands — top band ¼x1¼″; bottom band ¼x2″; each band securely riveted to body by twenty-two ¼x⅝″ rivets. Drop side handles of ⅜″ rod steel held to can by heavy side clips securely riveted to body.

No. 10 — Is made of 24-gauge throughout. Heavy steel reinforcing bands — top band ⅛x1″; bottom band ⅛x1¼″; each band securely riveted to body by sixteen 4-pound rivets. Heavy ¼″ rod, cover locking bail handle attached to can by butterfly ears securely riveted to body.

SPECIFICATIONS

Nos.	CAP. GAL.	SIZE DIAM.	SIZE HT.	PKD.	PKG. WT.
320	32	20⅛″	26″	3	112½ lbs.
240	24	19½″	25″	3	95 lbs.
10	10	15″	17⅜″	6	85 lbs.

No. 5555



No. 10

No. 240

No. 320

No. 444



No. 222

UNIVERSAL DOLLY

Will accommodate Lawson ash cans, numbers 240, 320; Lawson all service cans, number 200; also 55 gal. oil drums. All steel construction. Diameter 19½"; height 4½". Four 2-inch iron wheel casters furnished.

GARBASH DOLLY

Designed for home or industry. All-aluminum unit handles loads of 200 lbs. with ease. Equipped with ball-bearing swivel casters . . . measures 18″ from corner to corner. Fits most sizes of cans.

LAWSON—IDENTIFIED WITH QUALITY SINCE 1816

No. 07
010



No. 102
122
142

Extra Strong Ears

Steel Rod Reinforced



No. 814
816
820

SLOW DIPPED IN MOLTEN ZINC

No. 210



No. 622

No. 619

No. 615

Nos. 021
026
031

Nos.
110

GALVANIZED GARBAGE CAN

Heavy gauge black steel; galvanized by hand-dipped method after fabrication; deep corrugations; seams double locked; cover locking bail handle; raised bottoms.

Nos.	CAP. GAL.	SIZE DIAM. HT.	PACKING CANS	PACKING COVERS	PKG. WT.
07	6	12 7/8" x 14 3/8"	12	12	60 lbs.
010	10 1/4	15 1/2" x 16"	12	12	89 lbs.

STANDARD GALVANIZED PAILS

Wire reinforced top edge. Deep swedging reinforces body. Raised concave bottom. Double locked seamed. Hand dipped in molten zinc. Leak proof-rust proof.

Nos.	CAP. QTS.	SIZE DIAM. HT.	BUNDLE	PKG. WT.
102	10	10 1/2" x 9"	12	23 lbs.
122	12	10 3/4" x 10"	12	25 lbs.
142	14	11 3/8" x 10 3/4"	12	27 lbs.

EXTRA HEAVY JANITOR PAILS

Sturdy all-purpose pails for any heavy duty job. Extra heavy riveted on forked split ears. Heavy top wire and heavy bail handle. Hand dipped galvanized.

Nos.	CAP. QTS.	SIZE DIAM. HT.	BUNDLE	PKG. WT.
814	14	11 3/4" x 10 3/4"	12	52 lbs.
816	16	12 5/8" x 11 3/16"	12	56 lbs.
820	20	13 1/2" x 11 1/4"	12	60 lbs.

Long Life **TUF-BOY** Home Refuse Can

Top of can reinforced by heavy wire in top body curl and heavy 1/8x1" steel band welded to the body — providing protection against top edge getting smashed or out of round while servicing. Body is heavy gauge steel with deep corrugations. Strong, heavy drop handles. The concave bottom is tightly seamed; supported by 1/8x1" welded in steel reinforcing band.

No.	CAP. GAL.	SIZE DIAM. HT.	PKD.	PKG. WT.
210	20 1/2	18 1/8" x 23 3/8"	3	54 lbs.

MEDIUM WEIGHT GALVANIZED ASH CANS

Top reinforced by heavy steel rod. Bodies have deep corrugations. All seams are double locked. Heavy offset bottoms raised 3/4" with concentric reinforcing ring.

Nos.	CAP. GAL.	SIZE DIAM. HT.	PACKING CANS	PACKING COVERS	PKG. WT.
021	20 1/2	18 1/8" x 23 3/8"	6	12	144 lbs.
026	26	19 3/8" x 26 1/4"	6	12	168 lbs.
031	31	20 5/8" x 26 3/8"	6	6	96 lbs.

HAND-DIPPED GALVANIZED SPRINKLERS

Pleasing lines, swinging bail, easy to carry and use. Sturdily constructed of heavy steel, hot-dipped in molten zinc to insure long life.

No.	CAP. GAL.	SIZE DIAM. HT.	PKD.	PKG. WT.
615	5	7 1/2" x 9"	6	15 1/2 lbs.
619	9	8 5/8" x 10 3/4"	6	19 1/2 lbs.
622	12	9" x 12"	4	16 lbs.

FLAT BOTTOM FIRE PAILS

Heavy steel, hand dipped galvanized. Painted red and stenciled "FIRE". Placed in strategic locations they protect property at the lowest insurance rate in the world.

Nos.	CAP. QTS.	SIZE DIAM. HT.	BUNDLE	PKG. WT.
110	10	10 1/2" x 9"	12	23 lbs.

Printed in U.S.A.

Form No. A-4758-7
Reprinted 9/15/59